

7401-319

06/19/2013

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Madhu Mandava
Mandava Associates, LLC
6860 N. Dallas Parkway
Suite 200
Plano, TX 75024

6-19-13

Subject: Amended Reregistration Label
Product Name: ferti-lome Quick-Kill Home and Garden Insect Spray
EPA Registration Number: 7401-319

Dear Mr. Mandava:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrin and pbo RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, 4-26-10

A copy of your label stamped "Accepted" is enclosed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Page 2
EPA Reg. 7401-319

If you have any questions about this letter, please contact either Erik Kraft at (703-308-9358) or via email at Kraft.Erik@epa.gov or Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov.

Sincerely yours,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

ferti-lome Quik-Kill
Insect Spray

Page 1 of 6
05-30-2013 Label Update
per EPA Request 05-29-2013

[FRONT LABEL PANEL]

ferti-lome® Quik-Kill Home and Garden Insect Spray

Ready-To-Use

- [Kills Insects Fast, In the Home, On Vegetables, On Shrubs & Flowers and On Dogs and Cats]
 - [Kills Fleas and Ticks In and Around The Home and Yard]
 - [Fast Acting. For Indoor and Outdoor Use]
 - [Ideal for Treating Dogs and Cats, Pet Sleeping Areas, Localized Areas of Floor & Floor Covering, Closets and Along and Behind Windows, Door Frames and Baseboards]
 - [Convenient Trigger Sprayer For Fast & Easy Application]
 - [Kills Crickets, Spiders, Silverfish, Cockroaches, Ants, Boxelder Bugs, Houseflies, Gnats, Moths, Clover Mites, Wasps, Hornets, and Yellow Jackets]
 - [Use in Home Vegetable Gardens]
 - [Broad Spectrum Control of Aphids, Beetles, Loopers, Leafhoppers, Caterpillars, Stink Bugs, Whiteflies and Other Listed Insects]
 - [Broad Spectrum Control]
 - [Controls Listed Insects on Roses]
 - [Use on Shrubs and Flowers]
 - [Fast Acting]
 - [A Fast Acting Effective Insect Control for Flowers, Shrubs and Vegetables]
 - [For Use in and around Home]
 - [Controls Hornets, Cockroaches, Garden Insects, Whiteflies, Mealy Bugs, Fleas, Ticks, plus many more]
 - [Use on Dogs and cats, Indoor Plants, Flowers, Trees, Shrubs and Vegetables]
- [] – Denotes Optional Language

ACTIVE INGREDIENTS:


Pyrethrins.....0.02%

Piperonyl Butoxide*.....0.20%

INERT INGREDIENTS:.....99.78%

TOTAL:.....100.00%

*(butyl carbityl)(6-propylpiperonyl) ether and related compounds



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back/Side Label Panel for Additional Precautionary Statements

Net Contents _____

[BACK/SIDE LABEL PANEL]

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and invertebrates. For terrestrial use only. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS

Obtain medical attention if irritation persists. Do not apply directly to food. Cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered or removed during treatment, or washed with an effective cleaning compound followed by a potable water rinse prior to use. Remove birds and cover fish aquariums before spraying.

READ ENTIRE LABEL BEFORE EACH USE

-For surface spray:

- Except when applying to pets, do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Except when applying to pets, do not apply this product in a way that will contact adults, children, or pets either directly or through drift.

-For space spray:

- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.
- Do not allow adults, children, or pets to enter the treated area until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Remove pets, birds, and cover fish aquariums before spraying.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

-For use around or near floor drains:

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter the drain during or after application.

[BACK/SIDE LABEL PANEL]

-For application outdoors:

- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Treatment to soil or vegetation around structures;
 2. Applications to lawns, turf, and other vegetation;
 3. Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

- Do not wet plants to point of runoff or drip.
- Do not make applications during rain.
- Do not water the treated area to the point of runoff.

WHAT IS THIS PACKAGE FOR?

This product is effective in killing annoying and destructive insects in the home and garden. For fast acting results, use this product to kill [many listed insects. – Optional Language] Cockroaches, Spiders, Silverfish, Houseflies, Wasps, Hornets, Yellow Jackets, Fléas, Ticks, Ants, Scorpions, Aphids, [Mites-(European red, two-spotted (red spider), Pacific and clover-Optional Language), Leafhoppers, Flea Beetles, Whiteflies, Cabbage Loopers, Potato Beetles, Webworms, Wireworms, Diamond Back Caterpillars, Cross-Striped Cabbageworm, Boxelder Bugs, Tomato Fruitworms, Stinkbugs, Green Peach Aphids, Bean Leaf Beetles and Japanese Beetles [and many others-Optional Language].

Use this product to kill Fleas and Ticks that exist in and around the home and yard. This product is ideal for treating pets, pet sleeping areas, localized areas of floor and floor covering, closets and along and behind windows, door frames and baseboards.

HOW DO YOU USE IT? SHAKE WELL BEFORE USING.

In The Home: To kill crawling insects; spray all surfaces where these insects are found. Spray around walls, baseboards, cabinets, shelves, sinks, etc. and similar hiding places. Treat ant trails, nests & runs. When possible, spray insects directly. To control Houseflies, Fruit flies, Mosquitoes, Gnats, and small flying moths, apply and adjust sprayer to deliver a fine mist. Cover and remove exposed food and food handling surfaces. Close windows, doors and shut off ventilation systems. Spray toward center of room to fill room with mist. Use 4 to 5 ozs. per 1,000 cubic feet space. Keep area closed for at least 30 minutes after treatment. Vacate treated areas and ventilate before occupying. Repeat only as necessary to maintain insect control.

TO CONTROL FLEAS INDOORS: Thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters: nearby cracks and crevices; along and behind window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment of pet areas.

[BACK/SIDE LABEL PANEL]

TO CONTROL TICKS: Thoroughly spray sleeping quarters of animals. Spray infested areas around baseboards, window and door frames, wall and floor coverings where localized areas of infestation occur. Applications should be repeated only as necessary to maintain insect control. Fresh bedding should be placed in animal quarters following treatment.

TREATMENT OF DOGS & CATS: USE ONLY ON DOGS & CATS:

To kill Fleas and Ticks, cover animal's eyes with hand and spray head, ears and chest until damp. With fingertips rub into face around mouth, nose and eyes. Then spray neck, body and legs. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long-haired dogs and cats rub hand against the lay of hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat every 7 days, if needed. For best results against Fleas and Ticks on dogs, the kennels or animal quarters should also be treated.

Do not use on puppies or kittens under 12 weeks of age.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

OUTDOOR USE: As an aid in reducing annoyance from Fleas, Ticks and other listed insects, spray outside surfaces of screens, doors, windows, frames, or wherever these pests may enter the home. Also treat surfaces around porches, in garages, around the yard and other places where these pests may congregate.

VEGETABLES, SHRUBS & FLOWERS: Hold sprayer 12 inches from foliage and spray to wet plant surfaces. Repeat only as necessary to maintain insect control. May be applied on day of harvest. Apply to plants: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli, Peppers, Celery, Lettuce, Eggplant, Mustard Greens, Kale, Cabbage, Collards, Turnips, Potatoes, Radishes & Spinach.

WASPS, HORNETS AND YELLOW JACKETS: Spray to thoroughly wet nests and these pests on nests. Spray wherever possible, under eaves, into nests, cracks or holes where insects are noticed.

MOSQUITOES: For control outdoors, apply as a fine mist to shrubbery and vegetation where mosquitoes may rest. Apply around stagnant pools, ponds, swamps and other breeding areas.

HORSES AND CATTLE: To control Horn Flies, Houseflies, Mosquitoes and Gnats, apply to wet hair thoroughly with particular attention to topline, underline, flanks, withers and other infested areas. Repeat at 5-12 days for small infestations and only as necessary when insects are in large numbers.

[BACK/SIDE LABEL PANEL]

HERE ARE THE RESULTS YOU MAY EXPECT!

A quick, easy and effective kill of destructive insects in the home, garden, on shrubs, vegetables, flowers and pets. When used according to directions, this easy to use effective product will rid your home and property of annoying [insects-Optional Language] Fleas and Ticks.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Keep in an area inaccessible to children and pets.

PESTICIDE DISPOSAL and CONTAINER HANDLING:

If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

To the extent consistent with applicable law buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

Released For Shipment By:

VOLUNTARY PURCHASING GROUPS, INC.

P.O. BOX 460

BONHAM, TEXAS 75418

EPA Reg. No. 7401-319

EPA Est. No. 7401-TX-1